

Meat  
Gear

Meat  
Gear

SERVICIO TÉCNICO

CATALOG

# Manual Sausage Stuffers

- Control over your stuffing, with the enclosed gears that turn into 2 speed turn.
- Vertical design that saves spaces and ensures easy filling.
- Multiple funnel sizes to accommodate various sizes of natural and fibrous casings.
- Easy to use and maintain construction.



Model	Capacity	Dimensions	Gears
<b>SAMIXM3</b>	<b>7 lb</b>	<b>11 3/4" x 12" x 21"</b>	<b>Metal</b>
<b>SAMIXM5</b>	<b>11 lb</b>	<b>11 3/4" x 12" x 26"</b>	<b>Metal</b>
<b>SAMIXM7</b>	<b>15 lb</b>	<b>11 3/4" x 12" x 31"</b>	<b>Metal</b>

# Electric Sausage Stuffers

- Heavy-duty build for commercial or large-scale home usage.
- Vertical design that saves spaces and ensures easy filling.
- Multiple funnel sizes to accommodate various sausage types.
- Reliable, safe, and easy to operate electric system



Model	Capacity	Dimensions	Weight	Gears
<b>SAMIXELE10</b>	<b>22 lb</b>	<b>16" x 12" x 26"</b>	<b>88lb</b>	<b>Metal</b>
<b>SAMIXELE15</b>	<b>33 lb</b>	<b>16" x 12" x 31"</b>	<b>94lb</b>	<b>Metal</b>

# Countertop Fill Wrapper

- Heated Sealing Plate with non stick cover
- Adjustable Roll Capability 8" - 18"
- Light indicator - Shows when machine is in operation for safe use.
- Adjustable Heat Control - Perfect seals across different films.
- Leveling Legs - Stability for efficient wrapping
- Portable & Practical - Compact size with bigger workspace for efficiency.



Model	Dimensions	Plate Size	Weight
EMP18IM	22"x 5"x 29"	15 x 6 in	7lb

# Wrapping Station

- Heated Sealing Plate with non stick cover
- Adjustable Roll Capability 8" - 18"
- Capacity for 2 Film Sizes.
- Light indicator - Shows when machine is in operation for safe use.
- Adjustable Heat Control - Perfect seals across different films.
- Leveling Legs - Stability for efficient wrapping
- Portable & Practical - Compact size with bigger workspace for efficiency.



Model	Weight	Plate Size
EMP18IP	1b	15 x 6 in

# Poultry Cutter

- Stainless Steel Construction
- Long Lasting 8" Chrome Steel Blade
- Hosedown
- Compact Built for Reduce Work Spaces.



<b>Model</b>	<b>Dimensions</b>	<b>HP</b>
<b>COP20AI34HP110V</b>	<b>21" x 15" x 17"</b>	<b>3/4 hp</b>
<b>COP20AI34HP220V</b>	<b>21" x 15" x 17"</b>	<b>3/4 hp</b>

# Deli Meat Slicers

- Built in sharpeners.
- Belt Driven
- Aluminium Built
- Powerful 1/3 HP Motor
- Cuts Meats, Cheeses and Various Food Products.



<b>Model</b>	<b>Weight</b>	<b>Blade Size</b>	<b>Transmission</b>
<b>SLICER12B</b>	<b>10 lb</b>	<b>12 in</b>	<b>Belt</b>

# Meat Slicers

- Gear Driven Meat Slicers design to cut frozen meats.
- Light indicator - Shows when machine is in operation for safe use.
- Adjustable Heat Control - Perfect seals across different films.
- Leveling Legs - Stability for efficient wrapping
- Portable & Practical - Compact size with bigger workspace for efficiency.



Model	Weight	Blade Size	Transmission
SLICER12G	10 lb	12 in	Gear
SLICER13G	15 lb	13 in	Gear

# Brine Injection Station

- 2,376 lb per hour capacity
- Uniform injection distribution by the use of a 4 needle high pressure injection gun
- Tray with integrated Strainer.
- 78 qt. tank capacity.
- Fully protected motor with stainless steel casing.



Model	Capacity	Dimensions	Weight	HP	Voltage
MGBS60	78 lts	35"x 25"x 39"	137lb	1.5 HP	110 V

# MO22AC

## Cast Iron

- Powerful 2 HP Motor.
- Cast iron headstock, worm and ring.
- Large Stainless Steel Feed Tray with an fixed guard for Protection.
- +1,800 lb per hour grinding capacity.



Model	Weight	HP -PH	Voltage
MO22AC2HP1P110	83lb	2 HP - 1PH	110 v
MO22AC2HP1P220	83lb	2 HP - 1PH	220 v

# MO22AI

## Stainless Steel

- Powerful 2 HP Motor.
- Stainless steel head stock, worm, and ring.
- Large Stainless Steel Feed Tray with an fixed guard for Protection.
- +1,800 lb per hour grinding capacity.



Model	Weight	HP -PH	Voltage
MO22AI2HP1P110	83lb	2 HP - 1PH	110 v
MO22AI2HP1P220	83lb	2 HP - 1PH	220 v

# MO32AC - MEAT GRINDERS

- Powerful 3 HP Motor.
- Cast iron head stock, worm and ring.
- Large Stainless Steel Feed Tray with an fixed guard for Protection.
- +2,200 lb per hour grinding capacity.



<b>Model</b>	<b>HP - PH</b>	<b>Voltage</b>
<b>MO32AC3HP2201P</b>	<b>3 HP - 1PH</b>	<b>220 v</b>
<b>MO32AC5HP2203P</b>	<b>5 HP - 3PH</b>	<b>220 v</b>

# MO32AI - MEAT GRINDERS

- Powerful 3 HP Motor.
- Large Stainless Steel Feed Tray with an fixed guard for Protection.
- +2,200 lb per hour grinding capacity.



<b>Model</b>	<b>HP</b>	<b>Voltage</b>
<b>MO32AI3HP2201P</b>	<b>3 HP-1PH</b>	<b>110 v</b>
<b>MO32AI5HP2203P</b>	<b>5 HP - 3HP</b>	<b>220 v</b>

# MO32-PE

- Powerful 3 HP Motor.
- Cast iron or stainless steel head stock, worm and ring.
- Large Stainless Steel Feed Tray with an fixed guard for Protection.
- +2,400 lb per hour grinding capacity.



Model	HP-PH	Voltage
<b>MO32AC3HP2201PE</b>	<b>3 HP-PH</b>	<b>220 v 1-PH</b>
<b>MO32AI3HP2201PE</b>	<b>3 HP-PH</b>	<b>220 v 1-PH</b>
<b>MO32AI5HP2203PE</b>	<b>5 HP-PH</b>	<b>220 v 3-PH</b>

# MOM32 - MIXER GRINDER

- 130 lb Hopper Capacity
- Safety interlock switches for safe operation in lid.
- +3,000 lb per hour grinding capacity.
- Foot Pedal Operation.
- Emergency Stop Button.



Model	Hopper Capacity	HP - PH	Voltage
<b>MOM32AC5HP1P</b>	<b>130lb</b>	<b>5 HP - 1 PH</b>	<b>220 v</b>
<b>MOM32AC75HP3P</b>	<b>130lb</b>	<b>7.5 HP - 3 PH</b>	<b>220 v</b>

# SIE295AI

## Meat Saw

- Semi-Automatic tension with a simple Click!
- 52.5 ft/sec band speed
- Upper and lower pulley completely sealed, eliminating the risk of contamination
- Double flanged pulleys
- Start and Stop button control
- Protective adjustable safety guard
- Sliding Carriage



Model	Blade Length	Weight	Speed	HP - PH	Voltage
SIE295AI15HP1P	116 in	486 lb	3,150 fpm	1.5 HP - PH	110 v

# SIE-AIHER

## Meat Saw - Plus

- Semi-Automatic tension with a simple Click!
- 52.5 ft/sec band speed
- Upper and lower pulley completely sealed, eliminating the risk of contamination
- Double flanged pulleys
- Start and Stop button control
- Protective adjustable safety guard
- Sliding Carriage - with locking in any position.
- Meat Pusher included.



Model	Blade Length	Weight	Speed	HP - PH	Voltage
SIE295AIHER15HP1P	116 in	486 lb	3,150 fpm	1.5 HP - PH	220 v
SIE295AIHER3HP1P	116 in	486 lb	3,150 fpm	3 HP - 1 PH	220 v
SIE305AIHER3HP1P	120 in	505 lb	3,150 fpm	3 HP - 1 PH	220 v

# SIE320AIHER

## Meat Saw

- Semi-Automatic tension with a simple Click!
- 4,150/sec band speed
- Upper and lower pulley completely sealed, eliminating the risk of contamination
- Double flanged pulleys
- Start and Stop button control
- Protective adjustable safety guard
- Sliding Carriage - with locking in any position.
- Meat Pusher Included



Model	Blade Length	Weight	Speed	HP - PH	Voltage
SIE320AIHER3HP1P	126 in	486 lb	4,150 fpm	3 HP - 1 PH	220 v



# SIE360AIHER

## Meat Saw

- Semi-Automatic tension with a simple Click!
- Upper and lower pulley completely sealed, eliminating the risk of contamination
- Double flanged pulleys
- Start and Stop button control
- Protective adjustable safety guard
- Sliding Carriage - with locking in any position.
- Meat Pusher Included



Model	Blade Length	Weight	Speed	HP - PH	Voltage
SIE360AIHER3HP1P	142 in	520 lb	3,150 fpm	3 HP - 1PH	220 v
SIE360AIHER5HP3P	142 in	520 lb	3,150 fpm	5 HP - 3 HP	220 v
SIE360AIHER5HP3P-HD	142 in	600 lb	3,150 fpm	5 HP - 1 PH	220 v

# VACTUM

## Vacuum Tumbler

- Marination timer with end of cycle alarm.
- Reverse Rotation Function
- Vacuum Hose Micro Switch to prevent accidental start.
- Electrical and mechanical safety system.
- Vacuum system with liquid trap and filter.



Model	Capacity	Dimensions	HP - PH	Voltage
VACTUM60	66 lb	35"x 22"x 40"	1/4 HP - 1 PH	110 v
VACTUM155	155 lb	35"x 26"x 47"	1/4 HP - 1 PH	110 v
VACTUM400	400 lb	45"x 26"x 47"	3 HP - 1 PH	110 v



# MEMIX

## Meat Mixer

- Reliable power delivery.
- Easy and efficient unlocking mechanism for product release.
- Two-Hand operation for product unload.
- Magnetic Switches for user safety.
- Visual and Audible alarm.
- Easy removable stainless steel mixing paddles - not tools required.

Model	Capacity - lb	Dimensions	Weight	HP	Voltage
MEMIX220	220 lb	52"x 26"x 44"	520 lb	1.5 HP	110 v
MEMIX440	440 lb	59"x 28"x 52"	520 lb	1.5 HP	220 v

# MGBC08

## Tabletop Meat and Vegetable Cutter

- Compact design ideal for small kitchens
- Efficient 0.55 kW motor for consistent performance
- 12 rpm bowl rotation for uniform mixing
- Durable stainless steel construction



Model	Capacity	Dimensions	HP	Voltage
MGBC08	8.8 lb	26.77" x 17.36" x 15.16"	3/4 HP	110 v



# MGBC14

## Tabletop Meat and Vegetable Cutter

- Higher capacity for medium-volume production
- Powerful 0.75 kW motor
- Dual capacity: weight and volume processing
- Stable tabletop design with smooth operation

Model	Capacity	Dimensions	HP	Voltage
MGBC14	15.43 lb	29.92" x 21.65" x 18.50"	1 HP	110 v

# MGBC20-L Floor Meat and Vegetable Cutter

- Heavy-duty stainless steel structure
- 1.5 kW high-performance motor
- Triple-blade cutting system
- Built-in thermal motor protection



Model	Capacity	Dimensions	HP	Voltage
MGBC20-L	22 lb	39.37" x 29.92" x 27.17"	1 1/2 HP	110-120 v



# MGBC20 Floor Meat and Vegetable Cutter with Cabinet

- Industrial-grade 6-blade system
- Integrated safety lid sensor
- Mobile base with heavy-duty wheels
- Reinforced stainless steel cabinet design

Model	Capacity	Dimensions	HP	Voltage
MGBC20	22 lb	39.37" x 31.30" x 72.83"	2 HP	110-120 v

# MEGABIE60T

## Label Printing Scale

- 5,990 PLU's
- 60 lb
- Software Included
- NTEP - Legal for Trade



Model	Capacity	Weight	Voltage
MEGABIE60T	60 lb	19 lb	110 v

# MEAT EQUIPMENT

## Grinder Knives



ITALIAN STYLE GRINDER KNIFE



GRINDER KNIFE



GRINDER STRAIGHT KNIFE

Model	Plate	Type	Size
BNI12	#12	Italian Style	1/2"
BNI22	#22	Italian Style	1/4"
BNLV12	#12	Long Life Grinder Knife	1/8"
BNLV22	#22	Long Life Grinder Knife	3/16"
BNLV32	#32	Long Life Grinder Knife	3/4"
BNIR12	#12	Grinder Straight Knife	3/8"
BNIR22	#22	Grinder Straight Knife	5/8"
BNIR32	#32	Grinder Straight Knife	1/2"

# MEAT GRINDER PLATES

## BCD#P

Plate #	Size - P
12, 22, 32	1/2"
	1/4"
	1/8"
	3/16"
	3/4"
	3/8"
	5/8"
22	(3)"
32	1"



**3/4 Plate**



**5/8 Plate**



**1/2 Plate**



**3/16 Plate**



**3/8 Plate**



**1/4 Plate**



**1/8 Plate**



**(3) Plate**

\*Illustration images, it may vary from the original product\*

# Band Saw Blades BCB

- Low Waste
- Heavy Duty
- Resistant Blade
- Tempered Teeth



## Specs


TPI	3 & 4 TPI	Thickness	0.022 or 0.025	Width	5/8"
-----	-----------	-----------	----------------	-------	------

## Sizes Available

66"	72"	78"	82"	91"	98"
104"	108"	112"	116"	120"	124"
126"	128"	134"	142"		



**Nomenclature**  
**116"** - **322** ← Gauge  
 ↑ Band size      ↑ Teeth per inch (TPI)





**MEAT CUTTING BAND SAW MACHINE 142**  
**WWW.MEATGEAR.MX**

# <sup>M</sup>Meat <sub>G</sub>Gear



[MEATGEAR.MX](http://MEATGEAR.MX)



(800) 824-1644 / (832) 675-9699



[sales@concasseusa.com](mailto:sales@concasseusa.com)



**10215 S SAM HOUSTON PARKWAY W,  
SUITE 150, MISSOURI CITY, TEXAS, 77489**